



SANMINA-SCI

SANMINA-SCI

EDI INBOUND ORDRSP MESSAGE

VERSION: EDIFICE D97A

Author:	SANMINA-SCI EDI Group
Trading Partner:	All EDI Suppliers
Modified:	September 17, 2002
Version:	DRAFT



DOCUMENT REVISION

Revision No.	Date	Person(s) Responsible	Comments
DRAFT	17-Sep-02	Iain Wyper	Draft document



ORDRSP Purchase order response message

A message from seller to buyer, responding to a purchase order message, a purchase order change request message or a forecast message with embedded release.

Segments:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
	UNB	INTERCHANGE HEADER	M	1		Used

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	1	N1/0030	Must use

0080		<u>Segment Group 1</u>	C	1	N	
0090	RFF	REFERENCE	M	1	N1/0090	Must use

0140		<u>Segment Group 3</u>	C	5	N	
0150	NAD	NAME AND ADDRESS	M	1	N1/0120	Must use

0310		<u>Segment Group 8</u>	C	5	N	
0320	CUX	CURRENCIES	M	1	N1/0290	Must use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0960		<u>Segment Group 26</u>	C	200000	N	
0970	LIN	LINE ITEM	M	1	N2/1020	Must use
0980	PIA	ADDITIONAL PRODUCT ID	C	25	N2/1030	Optional
1010	QTY	QUANTITY	C	99	N2/1060	Must use

1240		<u>Segment Group 30</u>	C	1	N	
1250	PRI	PRICE DETAILS	M	1	N2/1290	Must use

1300		<u>Segment Group 31</u>	C	1	N	
1310	RFF	REFERENCE	M	1	N2/1350	Must use

1990		<u>Segment Group 51</u>	C	100	N	
2000	SCC	SCHEDULING CONDITIONS	M	1	N2/2040	Must use

2030		<u>Segment Group 52</u>	C	10	N	
2040	QTY	QUANTITY	M	1	N2/2080	Must use
2050	DTM	DATE/TIME/PERIOD	C	1	N2/2090	Must use
2160	UNS	SECTION CONTROL	M	1	N2/2260	Must use
2230	UNT	MESSAGE TRAILER	M	1	N2/2330	Must use

Segments:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
	UNZ	INTERCHANGE TRAILER	M	1		Must use



UNB INTERCHANGE HEADER

Pos:	Max: 1
- Mandatory	
Group: N/A	Elements: 7

To start, identify and specify an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
UNB010	S001	SYNTAX IDENTIFIER	M	Comp	
	0001	Syntax identifier	M	A	4/4
		<u>Code</u> UNOA		<u>Name</u> UN/ECE level A	
	0002	Syntax version number	M	N	1/1
		<u>Code</u> 1		<u>Name</u> Version 1	
UNB020	S002	INTERCHANGE SENDER	M	Comp	
	0004	Sender identification Supplier's UNB receiver ID		AN	1/35
	0007	Partner identification code qualifier Supplier's UNB receiver ID qualifier	C	AN	1/4
	0008	Address for reverse routine Sender's routing address if required	C	AN	1/14
UNB030	S003	INTERCHANGE RECIPIENT	M	Comp	
	0010	Recipient identification <i>Sanmina-SCI's mailbox details are:</i>	M	AN	1/35
		<i>Production:-</i> SANMINACORP			
		<i>Test:-</i> SANMINACORT			
	0007	Partner identification code qualifier <i>Sanmina-SCI's qualifier details are:</i>	C	AN	1/4
		<i>Production:-</i> 01			
		<i>Test:-</i> ZZ			
	0014	Routing Address Routing address of supplier – if applicable	C	AN	1/14
UNB040	S004	DATE/TIME OF PREPARATION	M	Comp	
	0017	Date of preparation Date when the EDI translator generated the ORDRSP message. Date format = ccyyymmdd	M	N	6/6



SANMINA - SCI

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
	0019	Time of preparation Time when the EDI translator generated the ORDRSP message. Time format = hhnn	M	N	4/4
UNB050	0020	INTERCHANGE CONTROL REFERENCE Supplier, sequentially generated UNB control number.	M	AN	1/14
UNB060	S005	RECIPIENT'S REFERENCE PASSWORD	N	Comp	
UNB070	0026	APPLICATION REFERENCE Value should always be "ORDRSP"	C	AN	1/14
UNB080	0029	PROCESSING PRIORITY CODE	N		
UNB090	0031	ACKNOWLEDGEMENT REQUEST	N		
UNB100	0032	COMMUNICATIONS AGREEMENT ID	N		
UNB110	0035	TEST INDICATOR Indication that the interchange is a test. Set to 1 if the interchange is a test. Otherwise not used.	C	N	1

Segment Example:

*UNB+UNOA:1+SupplierID:SupplierQualifier:SupplierRouting
Address+SANMINACORP:01+020712:0935+1++ORDRSP'*



UNH MESSAGE HEADER

Pos: 0010	Max: 1
Heading - Mandatory	
Group: N/A	Elements: 2

To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
UNH010	0062	MESSAGE REFERENCE NUMBER Supplier, sequentially generated message control number. Must match the UNT020 control number.	M	AN	1/14
UNH020	S009	MESSAGE IDENTIFIER	M	Comp	
	0065	Message type identifier	M	AN	1/6
		<u>Code</u> <u>Name</u> ORDRSP Purchase order response message			
	0052	Message type version number	M	AN	1/3
		<u>Code</u> <u>Name</u> D Draft			
	0054	Message type release number	M	AN	1/3
		<u>Code</u> <u>Name</u> 97A Release 97A			
	0051	Controlling agency	M	AN	1/2
		<u>Code</u> <u>Name</u> UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)			
	0057	Association assigned code	C	AN	1/6
		<u>Code</u> <u>Name</u> EDOR04 Purchase Order Response			

Segment Example:

UNH+I+ORDERS:D:97A:UN:EDOR04'



BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Heading - Mandatory	
Group: N/A	Elements: 3

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>				
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp					
	1001	Document/message name, coded	C	AN	1/3				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">231</td> <td style="text-align: center;">Purchase order response</td> </tr> </table>	<u>Code</u>	<u>Name</u>	231	Purchase order response			
<u>Code</u>	<u>Name</u>								
231	Purchase order response								
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION	C	Comp					
	1004	Document/message number Supplier generated document reference number	C	AN	1/35				
BGM030	1225	MESSAGE FUNCTION, CODED	C	AN	1/3				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">9</td> <td style="text-align: center;">Original</td> </tr> </table>	<u>Code</u>	<u>Name</u>	9	Original			
<u>Code</u>	<u>Name</u>								
9	Original								

Segment Example:

BGM+231+M2L002924+9'



DTM DATE/TIME/PERIOD

Pos: 0030	Max: 1
Heading - Mandatory	
Group: N/A	Elements: 1

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>				
DTM010	C507	DATE/TIME/PERIOD	M	Comp					
	2005	Date/time/period qualifier	M	AN	1/3				
		<table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>137</td> <td>Document/message date/time</td> </tr> </table>	<u>Code</u>	<u>Name</u>	137	Document/message date/time			
<u>Code</u>	<u>Name</u>								
137	Document/message date/time								
	2380	Date/time/period Purchase Order Response Date	C	AN	1/35				
	2379	Date/time/period format qualifier Format of the DTM010:2380 date	C	AN	1/3				
		<table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>102</td> <td>CCYYMMDD</td> </tr> </table>	<u>Code</u>	<u>Name</u>	102	CCYYMMDD			
<u>Code</u>	<u>Name</u>								
102	CCYYMMDD								

Segment Example:

DTM+137:20020917:102'



Segment Group 1

Pos: 0080	Max: 1
Heading - Conditional	
Group: Group 1	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0090	RFF	REFERENCE	M	1	N



RFF REFERENCE

Pos: 0090	Max: 1
Heading - Mandatory	
Group: Group 1	Elements: 1

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
RFF010	C506	REFERENCE	M	Comp	
	1153	Reference qualifier	M	AN	1/3
		<u>Code</u> ON		<u>Name</u> Order number (purchase)	
	1154	Reference number Sanmina-SCI purchase order number	C	AN	1/35

Segment Example:

RFF+ON:PONumber'



Segment Group 3

Pos: 0140	Max: 5
Heading - Conditional	
Group: Group 3	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0150	NAD	NAME AND ADDRESS	M	1	N



NAD NAME AND ADDRESS

Pos: 0150	Max: 1
Heading - Mandatory	
Group: Group 3	Elements: 2

To specify the name/address and their related function.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>								
NAD010	3035	Party Qualifier	M	AN	1/3								
		<table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>BY</td> <td>Buyer</td> </tr> <tr> <td>DP</td> <td>Delivery party</td> </tr> <tr> <td>SE</td> <td>Seller</td> </tr> </table>	<u>Code</u>	<u>Name</u>	BY	Buyer	DP	Delivery party	SE	Seller			
<u>Code</u>	<u>Name</u>												
BY	Buyer												
DP	Delivery party												
SE	Seller												
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp									
	3039	Party id. identification Sanmina-SCI code for the respective party – as received in the ORDERS message.	M	AN	1/35								
	1131	Code list qualifier	N	AN	1/3								
	3055	Code list responsible agency, coded	C	AN	1/3								
		<table border="0"> <tr> <td><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>92</td> <td>Assigned by buyer or buyer's agent</td> </tr> </table>	<u>Code</u>	<u>Name</u>	92	Assigned by buyer or buyer's agent							
<u>Code</u>	<u>Name</u>												
92	Assigned by buyer or buyer's agent												

Segment Example:

NAD+DP+IRE-FER01::92'
NAD+BY+IRV-CENTRAL::92'



Segment Group 8

Pos: 0310	Max: 5
Heading - Conditional	
Group: Group 8	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0320	CUX	CURRENCIES	M	1	N



CUX CURRENCIES

Pos: 0320 Max: 1
Heading - Mandatory
Group: Group 8 Elements: 1

To specify currencies used in the transaction and relevant details for the rate of exchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>				
CUX010	C504	CURRENCY DETAILS	C	Comp					
	6347	Currency details qualifier	M	AN	1/3				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">2</td> <td>Reference currency</td> </tr> </table>	<u>Code</u>	<u>Name</u>	2	Reference currency			
<u>Code</u>	<u>Name</u>								
2	Reference currency								
	6345	Currency, coded 3 character currency code, e.g. USD, GBP, EUR, etc.....	C	AN	1/3				
	6343	Currency qualifier	C	AN	1/3				
		<table border="0"> <tr> <td style="text-align: center;"><u>Code</u></td> <td style="text-align: center;"><u>Name</u></td> </tr> <tr> <td style="text-align: center;">9</td> <td>Order currency</td> </tr> </table>	<u>Code</u>	<u>Name</u>	9	Order currency			
<u>Code</u>	<u>Name</u>								
9	Order currency								

Segment Example:

CUX+2:USD:9'



Segment Group 26

Pos: 0960	Max: 20000
Detail - Conditional	
Group: Group 26	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
0970	LIN	LINE ITEM	M	1	N
1010	QTY	QUANTITY	C	1	N
1240		Segment Group 30	C	1	N
1300		Segment Group 31	C	1	N
1990		Segment Group 51	C	100	N



LIN LINE ITEM

Pos: 0970	Max: 1
Detail - Mandatory	
Group: Group 26	Elements: 2

To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
LIN010	1082	Line item number Incremental line count	C	AN	1/6
LIN020	1229	Action request/notification, coded	C	AN	1/3
		<u>Code</u> <u>Name</u>			
		2 Deleted			
		5 Accepted without amendment			
		6 Accepted with amendment			
		7 Not accepted			
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp	
	7140	Item number Sanmina-SCI's orderable part number	C	AN	1/35
	7143	Item number type, coded	C	AN	1/3
		<u>Code</u> <u>Name</u>			
		BP Buyer's part number			
	1131	Code list qualifier	N	AN	1/3
	3055	Code list responsible agency, coded	C	AN	1/3
		<u>Code</u> <u>Name</u>			
		92 Assigned by buyer or buyer's agent			

Segment Example:

LIN+1+5+PartNumber:BP::92'



QTY QUANTITY

Pos: 1010	Max: 1
Detail - Conditional	
Group: Group 26	Elements: 1

To specify a pertinent quantity.

Sanmina-SCI use this segment to summarize the total ordered quantity for the corresponding line item.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
QTY010	C186	QUANTITY DETAILS	M	Comp	
6063		Quantity qualifier The value of "3" is currently used for historic reasons but we aim to migrate once approval is received from all vendors.	M	AN	1/3
		<u>Code</u> 113		<u>Name</u> Quantity to be delivered	
6060		Quantity Total line item quantity	M	N	1/15
6411		Measure unit qualifier Unit of measure for the quantity in QTY010:6060	C	AN	1/3
		<u>Code</u> PCE		<u>Name</u> Pieces	

Segment Example:

QTY+113:6000:PCE'



Segment Group 30

Pos: 1240	Max: 1
Detail - Conditional	
Group: Group 30	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
1250	PRI	PRICE DETAILS	M	1	N



PRI PRICE DETAILS

Pos: 1250	Max: 1
Detail - Mandatory	
Group: Group 30	Elements: 1

To specify price information.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
PRI010	C509	PRICE INFORMATION	C	Comp	
	5125	Price qualifier	M	AN	1/3
		<u>Code</u> AAA		<u>Name</u> Calculation net	
	5118	Price Unit price for the orderable part	C	N	1/15
	5375	Price type, coded	C	AN	1/3
		<u>Code</u> CT		<u>Name</u> Contract	
	5387	Price type qualifier	N		
	5284	Unit price basis The number of units for which the stated price is applicable.	C	N	1/9
	6441	Measure unit qualifier	C	AN	1/3
		<u>Code</u> CT		<u>Name</u> Contract	

Segment Example:

PRI+AAA:0.014:CT::1:PCE'



Segment Group 31

Pos: 1300	Max: 1
Detail - Conditional	
Group: Group 31	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
1310	RFF	REFERENCE	M	1	N



RFF REFERENCE

Pos: 1310	Max: 1
Detail - Mandatory	
Group: Group 31	Elements: 1

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>				
RFF010	C506	REFERENCE	M	Comp					
	1153	Reference qualifier	M	AN	1/3				
		<table border="0"> <tr> <td style="padding-right: 20px;"><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>LI</td> <td>Line item reference number</td> </tr> </table>	<u>Code</u>	<u>Name</u>	LI	Line item reference number			
<u>Code</u>	<u>Name</u>								
LI	Line item reference number								
	1154	Reference number	N						
	1156	Line number	C	AN	1/6				
		Sanmina-SCI's line item reference number from LIN010 segment of the order.							

Segment Example:

RFF+LI::I'



Segment Group 51

Pos: 1990	Max: 100
Detail - Conditional	
Group: Group 51	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
2000	SCC	SCHEDULING CONDITIONS	M	1	N
2030		Segment Group 52	C	10	N



SCC SCHEDULING CONDITIONS

Pos: 2000	Max: 1
Detail - Mandatory	
Group: Group 51	Elements: 1

To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
SCC010	4017	DELIVERY PLAN STATUS INDICATOR, CODED	M	AN	1/3

<u>Code</u>	<u>Name</u>
1	Firm

Segment Example:

SCC+I'



Segment Group 52

Pos: 2030	Max: 10
Detail - Conditional	
Group: Group 52	Elements: NA

Segment Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>
2040	QTY	QUANTITY	M	1	N
2050	DTM	DATE/TIME/PERIOD	C	1	N



QTY QUANTITY

Pos: 2040	Max: 1
Detail - Mandatory	
Group: Group 52	Elements: 1

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
QTY010	C186	QUANTITY DETAILS	M	Comp	
	6063	Quantity qualifier	M	AN	1/3
		<u>Code</u> 113		<u>Name</u> Quantity to be delivered	
	6060	Quantity Number of parts to be delivered	M	N	1/15

Segment Example:

QTY+113:3000'



DTM DATE/TIME/PERIOD

Pos: 2050	Max: 1
Detail - Conditional	
Group: Group 52	Elements: 1

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>				
DTM010	C507	DATE/TIME/PERIOD	M	Comp					
	2005	Date/time/period qualifier	M	AN	1/3				
		<table border="0"> <tr> <td style="padding-right: 20px;"><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>67</td> <td>Delivery date/time, current schedule</td> </tr> </table>	<u>Code</u>	<u>Name</u>	67	Delivery date/time, current schedule			
<u>Code</u>	<u>Name</u>								
67	Delivery date/time, current schedule								
	2380	Date/time/period Sanmina-SCI requested delivery date	C	AN	1/35				
	2379	Date/time/period format qualifier	C	AN	1/3				
		<table border="0"> <tr> <td style="padding-right: 20px;"><u>Code</u></td> <td><u>Name</u></td> </tr> <tr> <td>102</td> <td>CCYYMMDD</td> </tr> </table>	<u>Code</u>	<u>Name</u>	102	CCYYMMDD			
<u>Code</u>	<u>Name</u>								
102	CCYYMMDD								

Segment Example:

DTM+67:20010326:102'



UNS SECTION CONTROL

Pos: 2160	Max: 1
Detail - Mandatory	
Group: N/A	Elements: 1

To separate header, detail, and summary sections of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
UNS010	0081	SECTION IDENTIFICATION	M	A	1/1

<u>Code</u>	<u>Name</u>
S	Detail/summary section separation

Segment Example:

UNS+S'



UNT MESSAGE TRAILER

Pos: 2230	Max: 1
Detail - Mandatory	
Group: N/A	Elements: 2

To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
UNT010	0074	NUMBER OF SEGMENTS IN A MESSAGE Count of the number of segments in the message (including UNH through UNT segments)	M	N	1/6
UNT020	0062	MESSAGE REFERENCE NUMBER Must match the UNH control number.	M	AN	1/14

Segment Example:

UNT+22+3687'



UNZ INTERCHANGE TRAILER

Pos:	- Mandatory	Max: 1
Group: N/A		Elements: 2

To end and check the completeness of an interchange.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>
UNZ010	0036	INTERCHANGE CONTROL COUNT This is the number of messages (i.e. UNH segments) in the current envelope.	M	N	1/6
UNZ020	0020	INTERCHANGE CONTROL REFERENCE Must match the ICN from the UNB segment at the start of the envelope.	M	AN	1/14

Segment Example:

UNZ+1+482'